



# Dimock Daily Report - April 26, 2012

LaRonda Koffi to: Kathy Hodgkiss

04/26/2012 03:16 PM

From: LaRonda Koffi/R3/USEPA/US  
To: Kathy Hodgkiss/R3/USEPA/US@EPA

Date: April 26, 2012

## FIELD ACTIVITY

### Water Supply (Fran Burns)

- Provision of alternate water continues to keep water tanks filled.

### Water Sampling (Fran Burns)

- No homes sampled today; no additional homes scheduled.

Dimock Sampling Summary			
Week	Homes		Proposed for resampling
	Homes Sampled	Receiving Water	
1	11	3	5
2	20	0	3
3	17	0	4
4	9	1	2
5	4	0	1
Totals	61	4	15

Note: Proposed for resampling includes homes receiving alternate water from EPA plus homes where one or more metals were found at concentrations near or above the trigger level established for that metal. Total number of homes to be resampled is subject to final comprehensive review of 1st round results.

## COMMUNICATIONS (Fran Burns)

- Site team continues to finalize other data packages in preparation for roll-out over the next several weeks.
- After today, all Week 2 visits will be completed.
- Updated status on 16 homes from Week 3:
  - Four follow-up appointments were scheduled (two completed yesterday, one for today, one for tomorrow that will be rescheduled at resident's request).
  - Four have declined a meeting.

-Messages have been left at five homes (four via phone, one via email)

-Three residents requested a delay in scheduling a meeting.

- The 17th home from Week 3 has now received their data package. Site team will schedule any follow-up visit for this home with the homes in Weeks 4 and 5.

#### CONGRESSIONAL

- None reported.

#### LEGAL ISSUES

- None reported.

Please let me know if you have questions.